

Other Furnishings

Bike Bollard

FairWeather Site Furnishings Model BR-2

Available with a 1, 2 or 3
bike capacity. 4" schedule 10
pipe and 1" bike loops, fully
welded steel cap.

Height: 36"

Mounting: Surface or embed.

www.fairweathersf.com

1(800) 323-1798

fax 360-895-1284



Dining Barrier

Recommend black or green metal (cast
or wrought iron especially) in an open,
simple pattern to separate designated
outdoor dining areas from sidewalk foot
traffic, as in these accompanying photos.



Paving



Custom Utility


Vault Cover:

RRM Design Group

Ojai Plaza

Crosswalk Paving & Treewell Detail

Recommend Stamped Concrete, Herringbone
Pattern, Color mixed to complement existing
brick buildings



RRM DESIGN GROUP



Creating Environments People Enjoy

This project is funded in part through the Metropolitan Transportation Commission's Transportation for Livable Communities ("TLC") program.

Bay Street Urban Design and Streetscape
Streetscape Elements

May 2004

Street Furniture



Cast Iron Bench

Victor Stanley Classic Series: Model CR-10

A classic beauty, this bench features a gently sloping back and massive ductile iron end frames.

Lengths: Available as a standard 4-foot, 6-foot and 8-foot lengths. Custom lengths are available.

Standard: All fabricated metal components are steel shot-blasted, etched, phosphatized, preheated and electrostatically powder-coated with TGIC polyester powder coatings. Color shown: VS Green.

Shown: 6 feet (1.8 meters) (with Two Optional Contoured Intermediate Armrests), Downtown Historic Core District, Los Angeles, California U.S.A.

Litter and/or Recycling Receptacle

Victor Stanley Production Series: PRS-36

Includes color choice, commercial-grade plastic liner, matching flat lid with optional recycle decal and/or recycle plaque.

Capacity 24, 36, or 45 gallons

www.victorstanley.com

1 (800) 368-2573

fax 1 (410) 257-7579



Cast Iron Tree Grate

Trystan Unviversal Series

Grate consists of two halves with 3/8" wide slots, which makes it excellent for special pedestrian applications. Tree openings can be expanded and the addition of inserts is an available option.

Sizes range from 15 1/2" to 72", both round and square.

www.trystanproducts.com

phone 1 (877) 348-5845

fax 1 (519) 632-8271



RRM DESIGN GROUP

Creating Environments People Enjoy



This project is funded in part through the Metropolitan Transportation Commission's Transportation for Livable Communities ("TLC") program.

Bay Street Urban Design and Streetscape
Streetscape Elements


May 2004

Lighting & Signage

New Directional Signage

8' high x 2' wide

Irvington Green Cast Iron Post, vandal-resistant plaques with white typography



Street Lamps

Company: **Antique Street Lamps**

Sidewalk Lighting Composite:




(1) Bangor Series Cast Aluminium Post PA B20 12

(1) CrossArm ACA 30

(2) Luminaire S 18

(1) Base Series X

(0-1) Banner Arms



Intersection-
20' pole

www.antiquestreetlamps.com


phone 1 (512) 977-8444

Intersection Lighting Composite:

Bangor Series Cast Aluminium Post
(20' ht, 22" clamshell octagonal base)

Aluminium Roadway Arm BHC45/1

Luminaire BH30s30



Sidewalk-
12' pole



RRM DESIGN GROUP

Creating Environments People Enjoy

This project is funded in part through the Metropolitan Transportation Commission's Transportation for Livable Communities ("TLC") program.

Bay Street Urban Design and Streetscape
Streetscape Elements

May 2004

Street Trees

Jacaranda

Jacaranda mimosifolia

A medium, deciduous tree with vivid green fernlike foliage. Clusters of purple-mauve trumpet-shaped blossoms appear in late spring followed by flat leathery seedpods. Bark is smooth and a light greenish-gray. Canopy is of medium density, oval or round.

Slow growth to 50'. Low maintenance, not susceptible to pests or disease, and a low potential for root damage. Not listed as suitable for use under powerlines or in narrow nature strips, but very effective accent tree.

Tolerances:

Drought	Average
Water-logging	Average
Wind	Average
Frost	Moderate
Pollution	Moderate



Chinese Pistache

Pistachia chinensis

Adaptable, deciduous. medium tree with oval/round crown, high canopy and fiery fall color. Interesting, dry, pink berry-like fruit with decorative husks. Insignificant flowers in Spring.

Slow to moderate growth to a mature size of 40-50 feet high and wide. Needs initial pruning, fall leaf/fruit clean up, and good drainage. Can be used under powerlines, minimum root damage potential.

Tolerances:

Drought	High
Water-logging	Low/Average
Wind	Average
Frost	High
Pollution	Moderate



RRM DESIGN GROUP

Creating Environments People Enjoy



Bay Street Urban Design and Streetscape
Streetscape Elements

May 2004

This project is funded in part through the Metropolitan Transportation Commission's Transportation for Livable Communities ("TLC") program.